

## MODELS



AST010



AST030



AST080



AST090



AST120




AST130



AST220

## TEXTURES



GLOSS



MATT SMOOTH




STONE



SLATE

## STANDARD COLORS



CR01



CR02




CR03



CR04



CR05



CR06



CR07



CR08




CR09



CR10





CR11



CR12

# DRAIN COVER




## COLOR MATCHED DRAIN COVER



# DRAIN



# PACKAGE



# PALLETIZE



# INSTALLATION



FLUSH WITH FLOOR




SEMI-RECESSED



IN THE FLOOR


# LEGSET



















# REPAIR KIT



## CUSTOM FIT





## PRODUCT FEATURES

 NATURAL MATERIAL	 ANTI-SLIP	 ANTI-BACTERIAL	 UV-RESISTANT	 EASY TO CLEAN	 STAIN-RESISTANT
 VOID FREE & NON POROUS	 HYGIENIC	 WARM TO TOUCH	 ENVIRONMENT PRODUCTION	 SOUND INSULATION	 IMPACT RESISTANT
 SLIM EDGE POSSIBLE TO INSTALL FLOOR LEVEL	 PRECISION	 CUTTABLE	 COLOR OPTION	 REPAIRABLE SURFACE	 WASTE COVER INCLUDES

## CERTIFICATIONS


					
---	---	---	---	---	---

AST010 Range





Width \ Length	80cm	90cm
80cm	AST010080080 80x80	-
90cm	AST010080090 80x90	AST010090090 90x90
100cm	AST010080100 80x100	AST010090100 90x100
120cm	AST010080120 80x120	AST010090120 90x120
140cm	AST010080140 80x140	AST010090140 90x140
160cm	AST010080160 80x160	AST010090160 90x160
170cm	AST010080170 80x170	AST010090170 90x170
180cm	-	AST010090180 90x180




THICKNESS: 30-32 mm

DRAIN  
FLOW RATE  
36 Ltr/min




TEXTURE  
STONE



SLIP RESISTANCE: CLASS C DIN51097-1992 |




AVAILABLE COLORS



LEGSET AVAILABLE



CUTTABLE




AST030 Range





Width \ Length	80cm	90cm
80cm	AST030080080 80x80	-
90cm	AST030080090 80x90	AST030090090 90x90
100cm	AST030080100 80x100	AST030090100 90x100
120cm	AST030080120 80x120	AST030090120 90x120
140cm	AST030080140 80x140	AST030090140 90x140
160cm	AST030080160 80x160	AST030090160 90x160
170cm	AST030080170 80x170	AST030090170 90x170
180cm	-	AST030090180 90x180



THICKNESS: 31-33 mm

DRAIN  
FLOW RATE  
36 Ltr/min




TEXTURE  
MATT SMOOTH



SLIP RESISTANCE: CLASS B DIN51097-1992 |




AVAILABLE COLORS



LEGSET AVAILABLE




CUTTABLE




AST080 Range





Width \ Length	70cm	80cm	90cm
90cm	AST080070090 70x90	AST080080090 80x90	AST080090090 90x90
100cm	AST080070100 70x100	AST080080100 80x100	AST080090100 90x100
120cm	AST080070120 70x120	AST080080120 80x120	AST080090120 90x120
140cm	AST080070140 70x140	AST080080140 80x140	AST080090140 90x140
160cm	AST080070160 70x160	AST080080160 80x160	AST080090160 90x160
170cm	-	AST080080170 80x170	AST080090170 90x170
180cm	-	-	AST080090180 90x180



THICKNESS: 25-27 mm

DRAIN  
FLOW RATE  
36 Ltr/min




TEXTURE  
STONE



SLIP RESISTANCE: CLASS C DIN51097-1992 |


AVAILABLE COLORS






LEGSET AVAILABLE



CUTTABLE




AST090 Range





Width \ Length	70cm	80cm	90cm
80cm	-	AST090080080 80x80	-
90cm	AST090070090 70x90	AST090080090 80x90	AST090090090 90x90
100cm	AST090070100 70x100	AST090080100 80x100	AST090090100 90x100
120cm	AST090070120 70x120	AST090080120 80x120	AST090090120 90x120
140cm	AST090070140 70x140	AST090080140 80x140	AST090090140 90x140
160cm	AST090070160 70x160	AST090080160 80x160	AST090090160 90x160
170cm	-	AST090080170 80x170	AST090090170 90x170
180cm	-	-	AST090090180 90x180




THICKNESS: 28-30 mm

DRAIN  
FLOW RATE  
34 Ltr/min




TEXTURE  
STONE



SLIP RESISTANCE: CLASS C DIN51097-1992 |


AVAILABLE COLORS



LEGSET AVAILABLE



CUTTABLE




AST120 Range





Width \ Length	70cm	80cm	90cm
80cm	-	AST120080080 80x80	-
90cm	AST120070090 70x90	AST120080090 80x90	AST120090090 90x90
100cm	AST120070100 70x100	AST120080100 80x100	AST120090100 90x100
120cm	AST120070120 70x120	AST120080120 80x120	AST120090120 90x120
140cm	AST120070140 70x140	AST120080140 80x140	AST120090140 90x140
160cm	AST120070160 70x160	AST120080160 80x160	AST120090160 90x160
170cm	-	AST120080170 80x170	AST120090170 90x170
180cm	-	-	AST120090180 90x180




THICKNESS: 29-31 mm

DRAIN  
FLOW RATE  
36 Ltr/min




TEXTURE  
SLATE



SLIP RESISTANCE: CLASS C DIN51097-1992 |


AVAILABLE COLORS




LEGSET AVAILABLE




CUTTABLE




AST130 Range





Width \ Length	70cm	80cm	90cm	100cm
80cm	-	AST130080080R 80x80	-	-
90cm	-	-	AST130090090R 90x90	-
80cm	-	AST130080080 80x80	-	-
90cm	AST130070090 70x90	AST130080090 80x90	AST130090090 90x90	-
100cm	AST130070100 70x100	AST130080100 80x100	AST130090100 90x100	AST130100100 100x100
120cm	AST130070120 70x120	AST130080120 80x120	AST130090120 90x120	-
140cm	AST130070140 70x140	AST130080140 80x140	AST130090140 90x140	-
160cm	AST130070160 70x160	AST130080160 80x160	AST130090160 90x160	-
170cm	-	AST130080170 80x170	AST130090170 90x170	-
180cm	-	-	AST130090180 90x180	-



THICKNESS: 28-32 mm

DRAIN  
FLOW RATE  
34 Ltr/min




TEXTURE  
STONE



SLIP RESISTANCE: CLASS C DIN51097-1992 |


AVAILABLE COLORS



LEGSET AVAILABLE



CUTTABLE




AST220 Range





Width \ Length	70cm	80cm	90cm
90cm	AST220090070 90x70	AST220090080 90x80	AST220090090 90x90
100cm	AST220100070 100x70	AST220100080 100x80	AST220100090 100x90
120cm	AST220120070 120x70	AST220120080 120x80	AST220120090 120x90
140cm	AST220140070 140x70	AST220140080 140x80	AST220140090 140x90
160cm	AST220160070 160x70	AST220160080 160x80	AST220160090 160x90
170cm	-	AST220170080 170x80	AST220170090 170x90
180cm	-	-	AST220180090 180x90




THICKNESS: 28-30 mm

DRAIN  
FLOW RATE  
36 Ltr/min




TEXTURE  
SLATE



SLIP RESISTANCE: CLASS C DIN51097-1992 |

AVAILABLE COLORS



LEGSET AVAILABLE



CUTTABLE

